INDIANA.
N & W 2 P.M.



60 50
80
61 50
80
283 00

Township No XI North, Range No VI West of 2nd Meridian. Surveyed by Samuel Holmes 1814 Ind. IND

Acres 100ths
Total quantity 22792 40

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
35 & 36	Wet flat land – Timber Elm, Sycamore &c	33 & 34	All swamp &c	31 & 32	Flat wet land – Timber Elm, Ash &c
25.36	Middling land – Timber Sugar, Oak, Poplar &c	27.34	Swampy land & all through this mile	29.32	Wet swampy land – Same
25.26	Overflowed bottom land – Timber Sycamore, Cottonwood	27.28	Wet flat land – Timber Oak, Maple, Hickory &c	30.31	Middling land – " Oak, Sugar &c
24.25	Same	22.27	Same	29.30	Level Oak land &c
23.24	Wet swampy land Timber Elm Maple &c	21.22	Wet flat land – " Oak & Hickory	20.29	Flat wet land – Timber Oak, Hickory &c
13.24	Same	15.22	Same	19.30	Same
13.14	Broken land – Timber Beech, Oak &c	15.16	Same	19.20	Level wet land as above
12.13	Pretty good land " Beech, Sugar &c	10.15	Level flat land – Timber Oak, Poplar, Beech &c	17.20	Middling good land – Timber Sugar, Beech, Poplar
11.12	Wet flat land " Oak, Beech	9.10	Pretty good land – " Same	18.19	Flat wet land – " Oak, Beech, Elm &c
1.12	Broken land " Same	3.10	Broken land – " Beech, Oak, Hickory	17.18	Same
1.2	Same	21.28	Wet flat land " Oak, Hickory, Beech, Sugar	8.17	Same
34.35	Wet flat land – Timber Maple, Elm &c	28.29	Wet land – " Oak, Hickory, Elm &c	7.8	Same
26.35	Same " Same & Sycamore	32.33	Land overflowed Timber Same	5.8	Poor W. Oak land &c
26.27	Same " Beech, Oak, Hickory &c	28.33	Wet swampy land &c	6.7	Poor Oak & Hickory land &c
23.26	Same	20.21	Wet land – Timber Oak, Hickory, Beech	5.6	Part prairie land & some timber as above
22.23	Same	16.21	Good land – " Sugar, Poplar, Beech		
14.23	Wet land Timber Oak &c	16.17	Same		
14.15	Flat land – " Oak, Beech, Poplar &c	9.16	Level Oak & Beech land		
11.14	Same	8.9	Good land Timber Oak, Poplar, Ash		
10.11	Same	4.9	Pretty good Oak & Beech land		
2.11	Flat wet land – Oak, Beech	4.5	Same		
2.3	Same				

74

51/

Township No. 11 North, Range No. 6 West of 2nd Meridian

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist	Quality of the Soil
A	W. Oak	12	N 65 E	20	
	B. Oak	14	S 35 W	13	
a					
B	Hickory	12	S 20 E	31	
	Cherry	8	N 15 W	55	
b					
C	B. Oak	20	S 82 E	25	
	Hickory	15	S 79 W	25	
c					
D	Poplar	24	S 62 W	15	
	Beech	15	N 82 W	20	
d					
E	Gum	20	N 44 W	18	
	do	18	S 28 E	40	
e					
F	Elm	12	S 55 E	50	
	Ironwood	10	N 10 W	15	
f					
G	Beech	20	N 7 E	19	G to H. Level land—Beech, Oak & Hickory—
	Red. Oak	16	S 18 E	37	
g	Beech	16	N 13 E	18	
	do	16	S 5 E	33	
H	Elm	6	S 15 E	14	H to I. First rate bottom— Buckeye & walnut
	Cherry	7	N 31 W	9	
h	Buckeye	16	S 12 E	14	
	Hackberry	24	N 75 W	20	
I	Buckeye	15	S 26 W	32	I to K. Same
	Hickory	18	N 39 E	41	
i	Buckeye	7	S 42 W	20	
	Hackberry	14	N 69 E	29	
K	Beech	6	S 4 E	3	K to L. Good land—Sugar, Ash & Walnut
	do	30	N 6 W	28	
k	Beech	30	S 51 W	12	
	W. Oak	30	N 18 W	43	
L	Elm	16	S 18 E	24	L to M. Good land—timber Sugar. Oak & Ash
	Ash	5	N 64 E	6	
l	Hickory	14	S 25 E	13	
	do	12	N 2 W	44	
M	Maple	16	N 10 E	7	M to N. Wet bottom, Elm, Ash & Beech—
	Ash	16	S 41 W	23	
m	W. Oak	12	S 20 E	30	
	do	18	N 37 E	16	
N	Poplar	18	S 27 W	38	N to O.—
	Beech	30	N 78 E	52	
n	W. Oak	9	N 50 W	1	
	do	24	S 46 E	14	
O	Red Oak	36	S 48 W	3	O to P. Good Oak land
	Beech	14	N 42 W	21	
o	Dogwood	5	N 44 W	28	
	Ash	36	N 70 E	38	
P	Ash	8	S 14 W	24	P to Q. Flat land—Beech, Elm & Maple
	do	16	N 59 E	13	
p	Red Oak	14	S 74 W	32	
	Maple	8	S 51 E	21	
Q	Beech	16	S 78 W	22	Q to R. Bottom land—timber Sugar. Ash. Elm
	Hickory	10	N 75 E	33	
q	W. Oak	30	S 11 W	14	
	Beech	24	N 69 E	21	
R	Hackberry	18	N 65 W	200	R to S. Same
r	Box Elder	15	S 52 W	57	
	Thorn	6	N 52 E	7	
S	Walnut	16	S 24 W	17	S to T. Good level Oak land
	Hickory	12	N 52 E	38	
s	W. Oak	14	S 66 W	7	
	R. Oak	24	S 78 E	29	
T	Beech	36	S 42 W	11	
	Ash	12	N 52 E	37	
t					
U	W. Oak	24	S 78 E	21	
	Elm	12	S 20 E	26	
u					
V	W. Oak	18	N 37 E	5	
	Beech	12	South	8	
v					
W	Elm	9	N 55 W	25	
	Beech	15	S 76 E	20	
w					
X	Gum	10	S 83 E	32	
	Hickory	10	N 47 W	26	
x					
Y	Elm	18	S 73 W	35	
	do	10	S 80 E	25	
y					

Interior Section Corners described

Corners of Sections	Bearing trees	Inches diam.	Courses they bear	Links dist.
25.26.35.36	Corner in	the	River	—
23.24.25.26	Elm	24	N 72 E	26
	W. Oak	12	S 10 E	50
13.14.23.24				
11.12.13.14	Elm	18	N 20 E	32
	Sassafras	12	S 20 W	26
1.2.11.12	Ash	12	S 20 E	22
	Beech	15	N 37 W	37
26.27.34.35	Beech	15	S 32 W	15
	Box Elder	15	S 78 E	29
22.23.26.27	Beech	15	N 61 E	24
	do	18	S 22 W	27
14.15.22.23	Beech	18	S 82 W	8
	do	18	N 22 E	22
10.11.14.15	W. Oak	24	S 48 E	21
	Hickory	20	S 77 W	46
2.3.10.11	W. Oak	36	S 48 E	31
	do	24	N 13 E	28
27.28.33.34	B. Jack	12	N 73 W	11
	do	20	S 20 E	4
21.22.27.28	W. Oak	12	S 45 E	24
	do	15	N 73 W	27
15.16.21.22	Beech	18	N 73 W	3
	W. Oak	18	S 73 E	40
9.10.15.16	B. Oak	18	S 78 W	55
	Poplar	20	N 25 E	35
3.4.9.10	B. Oak	18	S 72 W	24
	Sassafras	6	N 64 E	24
20.21.28.29	Beech	24	N 82 E	7
	W. Oak	9	S 75 W	26
28.29.32.33	Sugar	15	N 15 W	26
	Hickory	12	S 25 E	24
16.17.20.21	Hickory	24	S 20 W	6
	do	12	N 10 E	34
8.9.16.17	Gum	9	N 79 E	24
	Elm	12	S 65 W	32
4.5.8.9	Beech	12	N 60 E	6
	do	18	S 54 W	37
29.30.31.32	W. Oak	24	N 52 E	6
	do	36	N 74 W	20
19.20.29.30	Hickory	30	N 34 E	35
	Poplar	20	S 20 W	32
17.18.19.20	W. Oak	24	S 24 E	22
	do	30	N 32 W	27
7.8.17.18	Poplar	15	S 45 W	4
	Elm	9	N 65 E	40
5.6.7.8	Gum	5	East	15
	Hickory	20	West	10

Interior Quarter section corners described

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
M to U at 1	Beech	9	N 25 E	17
	Hickory	15	S 35 E	22
2	Beech	22	S 75 W	21
	do	15	S 62 E	38
3	Maple	10	S 5 E	10
	do	8	West	6
4				
5	W. Oak	18	S 86 E	18
	Box Elder	9	S 87 W	29
6	W. Oak	12	S 74 W	30
	Hickory	12	N 65 W	16
L to V 1	Buckeye	9	S 78 W	10
	do	10	East	8
2	Sugar	15	N 78 W	19
	Beech	10	S 50 E	7
3	Sugar	20	S 85 E	40
	Beech	9	N 76 W	11
4	R. Oak	24	S 38 E	44
	Beech	—	N 57 W	43
5	W. Oak	24	N 36 W	33
	Hickory	12	S 25 E	13
6	W. Oak	40	S 38 E	34
	Beech	24	N 10 W	49
K to W 1	In Swamp	—	—	—
2	Beech	18	S 30 E	28
	do	12	N 35 W	31
3	Hickory	15	S 25 E	24
	Beech	15	N 46 W	30
4	Beech	24	N 57 E	48
	do	12	S 45 W	29
5	Hickory	9	N 78 E	16
	do	6	South	19
6	Beech	30	N 64 E	22
	Hickory	9	S 31 W	28

Interior Quarter Section Corners

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
I to X at 1	Beech	24	N 78 E	15
	Gum	12	N 81 W	37
2	Beech	18	S 77 W	21
	Hickory	20	N 52 E	40
3	W. Oak	12	S 45 W	15
	Beech	20	N 10 W	20
4	Beech	15	N 73 E	23
	Ash	18	S 58 W	29
5	W. Oak	24	East	30
	Beech	24	N 85 W	14
6	Sugar	24	N 56 W	20
	do	12	S 34 E	12
H to Y 1	Beech	20	N 25 W	17
	B. Oak	18	S 25 W	12
2	Gum	15	N 53 W	15
	Beech	18	S 25 E	29
3	Ash	24	N 30 E	4
	do	12	S 5 W	44
4	Beech	12	S 5 W	8
	do	15	N 15 E	10
5	W. Oak	12	S 5 E	17
	do	10	N 20 E	25
6	B. Oak	24	S 20 E	55
	do	24	N 76 E	50
O to F 1	W. Oak	36	S 35 W	11
	Beech	18	N 58 E	32
2	No timber	for	Bearing	
3	H. Locust	24	N 75 W	25
	Elm	9	S 65 E	50
4	Beech	26	N 26 E	18
	do	18	West	11
5	Beech	20	S 62 W	15
	do	15	N 78 E	25
6	Walnut	15	S 33 E	31
	B. Oak	36	N 20 W	34
P to E 1	Beech	20	S 35 W	25
	do	18	N 53 W	9
2	Beech	24	N 73 E	15
	do	12	S 20 W	55
3	Hickory	18	S 10 W	40
	W. Oak	20	N 10 E	40
4	Maple	20	South	17
	Ash	12	West	13
5	Beech	20	S 30 E	22
	do	18	N 43 W	25
6	Beech	20	S 4 W	20
	Maple	22	East	25
A to D 1	Line not	run		
2	B. Oak	15	East	14
	do	12	West	9
3	Hickory	20	S 32 W	27
	do	15	N 20 E	16
4	Sugar	12	N 25 W	19
	W. Oak	24	S 26 E	46
5	W. Oak	20	S 45 E	13
	Gum	18	N 78 W	39
6	Beech	15	N 76 E	35
	W. Oak	24	West	12
R to C 1				
2	W. Oak	36	S 20 E	40
	Hickory	15	N 75 W	25
3	Beech	12	N 77 W	25
	do	12	S 48 E	35
4	Beech	20	West	34
	Sugar	12	N 82 E	30
5	Poplar	20	N 51 W	30
	Walnut	12	S 20 E	4
6	Gum	15	S 20 W	24
	Ash	6	North	33
S to B 1	Hickory	12	S 76 W	33
	Gum	8	N 76 E	14
2	Poplar	30	N 72 W	42
	Hickory	12	N 83 E	60
3	Hickory	24	N 6 W	25
	Ash	12	S 23 E	40
4	Beech	20	N 36 W	21
	Elm	15	S 60 E	25
5	W. Oak	6	S 5 W	10
	Maple	15	N 30 E	15
6	Hickory	12	N 85 E	25
	W. Oak	18	N 87 W	23

HO

NATIONAL ARCHIVES OF THE UNITED STATES
CARTOGRAPHIC RECORDS RG 49

11 N 6 W

28



TOWNSHIP TOWNSHIP No XI RANGE No 6 W

Variation

Scale of Fifty Chains to an inch

Certified the 17th day of June 1814 by

22789.68

Samuel Holmes D.S.

Surveyor Generals Office
June 20th A.D. 1815

A Copy

Edward Tiffin Surveyor Genl

Entd on the Map

IND

IND

INDIANA.
N & W 2 P. M.

9a-B
slim

Township No. 11 North, Range No. 6 West, 2nd Mer.


A a B b C c D d E e F f G
Sec. 6. Sec. 5. Sec. 4. Sec. 3. Sec. 2. Sec. 1.
A.134.20 A.176.00 A.176.00 A.176.00 A.176.00 A.176.00 A.176.00 A.176.00 A.176.66 A.174.64 A.184.90 A.172.00
A.118.00 A.160. A.160. A.160. A.160. A.160. A.160. A.160. A.160. A.160. A.160. A.160.
A.116.00 A.160.
Sec. 7. Sec. 8. Sec. 9. Sec. 10. Sec. 11. Sec. 12.
A.640. A.640. A.640. A.640. A.640.
A.116.00 A.160.
A.117.00 A.160
Sec. 18. Sec. 17. Sec. 16. Sec. 15. Sec. 14. Sec. 13.
A.640. A.640. A.640. A.640. A.640.
A.119.00 A.160.
A.121.00 A.160.
Sec. 19. Sec. 20. Sec. 21. Sec. 22. Sec. 23. Sec. 24.
A.640. A.640. A.640. A.640. A.640.
A.123.00 A.160.
A.125.45 A.160.
Sec. 30. Sec. 29. Sec. 28. Sec. 27. Sec. 26. Sec. 25.
A.640. A.640. A.640. A.640. A.640.
A.128.52 A.160.
A.133.48 A.160.
Sec. 31. Sec. 32. Sec. 33. Sec. 34. Sec. 35. Sec. 36.
A.640. A.640. A.640. A.640. A.640.
A.141.52 A.160.
Eel River
Y X W V U T
y x w v u t
H h I i K k L l M m N
s S r R q Q p P o O n
Scale, 40 chains to an Inch.
True Meridian.
Var. 6°45' East.

Surveyed in 1814 by Samuel Holmes Deputy Surveyor.

I certify that the above is a true copy of the
recorded plat in this Office.

Surveyor Generals Office.
Cincinnati. Sept. 9. 1837

Robt. T. Lytle
Sur. Genl.

Correction of the Contents on the N & W boundaries of the (following Townships

T 11 N. R 6 W. 2d Mer.

A 134.20	A 176	A 176	A 176	A 176	A 176	A 176	A 176	A 176.66	A 17[illegible]		
6		5		4		3		2		1	

A 134.20 A 118	6
A 116 A 116	7
A 117 A 119	18
A 121 A 123	19
A 125.48 A 128.52	30
A 132.48 A 140.52	31

T 9 N. R 4 W. 2d Mer.

A 149.00	A 164.48					A 162.46	A 162.46	A 161.90	A 160.93		
6		5		4		3		2		1	

A 149.00 A 147.	6
A 148. A 148.	7
A 146 A 142	18
	19
	30
A 131.52 A 130.48	31

329

2

Corrections of the contents of quarter Sections on the N. & W. boundaries of eight townships in the Vincennes District.

5

T 9 N. R 5 W. 2d Mer.

A 162.95	A 159.52	A 163.76	A 163.76	A 156.77	A 153.76	A 149.91	A 149.91	A 153.72	A 151.71	A 168.57	A 168.57
6		5		4		3		2		1	

A 162.95 A 161.48	6
A 160. A 160	7
A 160. A 160	18
	19
A 160 A 160	30
A 160 A 160	31

T 10 N. R 5 W. 2d Mer.

A 170.84	A 169.76	A 172.29	A 175.34	A 174.52	A 176.49	A 180.85	A 180.85	A 174.10	A 174.10	A 184.86	A 182.79
6		5		4		3		2		1	

A 170.84 A 160.48	6
A 160 A 160	7
A 160 A 160	18
A 159 A 157	19
A 156 A 156	30
A 157 A 159	31

3

H6

GENERAL SERVICES ADMINISTRATION
NATIONAL ARCHIVES AND RECORDS SERVICE
CARTOGRAPHIC RECORDS
DESCRIPTION
Records of the General Land Office
RECORD GROUP 49
SUBGROUP d
SERIES Indiana Subdivisions
FILED AS Vol 2 p.329
GSA WASH DC 60-10089
MAR-323 MARCH 19

State act 28 September 1850 "Swamp" see "Swamp"

No 25



TOWNSHIP, No. XI RANGE No. VI W

2PM

Variation

Scale of Forty Chains to an inch

Certified the 17th day of June 1814 by

Samuel Holmes D S

Surveyor Generals Office
June 20th A.D. 1815

A Copy.

Edward Tiffin Surveyor Genl